GENERAL NOTES:

Refer to the Environmental Management Act (EMA) for information pertaining to the regulation of environmental features (preservation/conservation features), stormwater management requirements, etc.
Refer to the Concurrency Management Ordinance for information pertaining to the availability of capacity for certain public facilities (roads, parks, etc.).

	4. Minimum Lot or Site Size			5. Minimum Building Setbacks				6. Maximum Building Restrictions	
Use Category	a. Lot or Site Area	b. Lot Width	c. Lot Depth	a. Front	b. Side- Interior Lot	c. Side- Corner Lot	d. Rear	a. Building Size, gross leasable building area (excluding building floor area used for parking)	b. Building Height (excluding stories used for parking)
Warehousing, Storage, Mini- warehousing All other Permitted Principal Uses	None	None	None	25 feet	None	25 feet	10 feet	20,000 sq ft building area per acre, not to exceed 40,000 sq ft per single structure.	<u>3 stories</u>
a) served by central sewer	None	None	None	25 feet	None	25 feet	10 feet	10,000 sq ft building area per acre, not to exceed 50,000 sq ft building area per parcel, nor 40,000 sq ft per single structure.	<u>3 stories</u>
b) not served by central sewer	None	None	None	25 feet	None	25 feet	10 feet	No more than one septic tank, limited to no greater than 500 gallon capacity per $\frac{1}{2}$ acre supporting a building area not to exceed 8,000 sq ft building area per acre, not to exceed 40,000 sq ft building area per parcel, nor 30,000 sq ft per single structure.	<u>3 stories</u>
7. Access Management Criteria (In case of a conflict wit	h the provisions of	other ordina	nces or regulat	ions, the most strict provisio	ons shall apply):			
	rial or major collector sha rterial or major collector nan one right-in/right-out	shall not be permitt access point. Prop	ed closer than erties with 660	330 feet to anot) feet or more of	ther access point, nor within 1 Farterial and major collector f	100 feet of a signaliz frontage may be perr	ed intersect	ion, except properties with sole access to a ple accesses to a single street based upon a	
								tion. Right-in/right-out access to a minor ted no less than least one right-in/right-out	

(c) Local Streets

Full movement access to a local street shall not be permitted within 200 feet of a signalized intersection. Right-in/right-out access to a local street shall not be permitted closer than 100 feet to another access point or intersecting public

GENERAL NOTES:

1. Refer to the Environmental Management Act (EMA) for information pertaining to the regulation of environmental features (preservation/conservation features), stormwater management requirements, etc.

2. Refer to the Concurrency Management Ordinance for information pertaining to the availability of capacity for certain public facilities (roads, parks, etc.).

street, nor within 200 feet of a signalized intersection, except properties with sole access to a local street are permitted no less than one access point, which may be limited to right-in/right-out based upon a traffic safety evaluation. **DEVELOPMENT STANDARDS (continued from page 3 of 3)**

8. <u>Street Vehicular Access Restrictions:</u> Properties in the Woodville Commercial zoning district may have vehicular access to any type of street. However, in order to protect residential areas and neighborhoods from non-residential traffic, vehicular access to a local street is prohibited if one of the following zoning districts is located on the other side of the local street: R, RA, R-1, R-5, MH, and RP.

9. Landscape Standards:

Development within the Woodville Commercial zoning district shall be subject to the landscape requirements of this Section in addition to those requirements of the Environmental Management Act (EMA). Where standards conflict, the stricter of the two shall apply. All landscape plans shall be prepared by a registered landscape architect as per Section 481 of the Florida Statutes.

Arterial Road Landscaping: All properties fronting arterial roads shall provide and maintain a thirty (30) foot wide landscape area immediately adjoining the arterial road. All vegetation within the thirty (30) foot wide landscape area of good condition 4 (four) inches and larger shall be preserved. This landscape area shall be planted with canopy trees with no less than 1 tree for each 200 square feet of landscape area. Creative design and spacing is encouraged. The landscape area may be crossed by driveways permitted pursuant to Section 8 above, but compensatory area shall be added, equal to the area of the driveway, adjacent to the required landscape area. Sidewalks are not permitted within the landscape area, but shall not reduce the tree planting requirement. Existing healthy trees in the landscape area may be counted as prescribed in Section 10-264(b) toward meeting the tree planting requirement. Management of the existing trees within the 30 (thirty) feet shall include pruning of dead and hazardous tree limbs, pruning of live limbs less than 25% of the green mass of the tree, fertilization, pest control, and control of invasive vegetation. Mechanical methods which compact the earth or root systems shall not be allowed.

10. Parking Standards:

- (a) Properties fronting an arterial road shall be allowed to construct 50 percent of all parking required by the Land Development Code in front of the proposed building/structure and/or adjacent to a public roadway. Additional parking, above code requirements shall be located to a side or rear of the proposed building/structure that is not fronting a public or private roadway or access way.
- (b) Properties fronting a collector or local road shall be allowed to construct a single parking aisle between the proposed building and the collector and/or local road.

<u>11. Lighting Standards:</u>

- (a) All exterior lighting shall have recessed bulbs and filters which conceal the source of illumination. No wall or roof mounted flood or spot lights used as general grounds lighting are permitted. Security lighting is permitted.
- (b) Lighting for off-street walkways shall be spaced no more than thirty (30) feet apart, and shall not exceed ten (10) feet in height.
- (c) Parking lighting shall be spaced a maximum of fifty (50) feet apart and shall not exceed twenty (20) feet in height.
- (d) Lighting levels at the property line (six feet above ground) adjacent to residential areas shall not exceed .5 foot-candles.

12. Design Standards:

- (a) All buildings shall screen trash collection/storage areas with materials found on the exterior of the building.
- (b) All delivery truck docks shall provide a screen of sufficient height and length to screen loading and unloading trucks.

GENERAL NOTES:

- 1. Refer to the Environmental Management Act (EMA) for information pertaining to the regulation of environmental features (preservation/conservation features), stormwater management requirements, etc.
- 2. Refer to the Concurrency Management Ordinance for information pertaining to the availability of capacity for certain public facilities (roads, parks, etc.).